Contents

| FOREWORD | | | 7 |
|----------|-----------------------|---|----|
| PROL | .OGUE | | 11 |
| ACKN | IOWLED | OGEMENTS | 18 |
| CON | TENTS | | 21 |
| Chap | oter 1 | | 37 |
| | stuff" of what-hav | the universe: matter, particles, fields, waves, ve-you" | |
| 1.1 | Forces | s and particles (classical) | 37 |
| | 1.1.1 | Interactions and reference frames | |
| | 1.1.2 | Products between vectors | |
| | 1.1.3 | Matrix operations and tensors | |
| | 1.1.4 | Eigenvalues of an operator | |
| | 1.1.5 | Velocity of a body | |
| | 1.1.6 | Continuity of space | |
| | 1.1.7 | Galilean relativity | |
| | 1.1.8 | Newton's three laws of motion | |
| | | (a) First law | |
| | | (b) Second law | |
| | | | |

| | (c) Thi | rd law | |
|-----|---------------|---|-----------|
| | 1.1.9 | | |
| | | Newton's law of gravitation | |
| | | Potential energy | |
| | | Reduced mass | |
| | 1.1.13 | Orbital motion | |
| | | Angular momentum | |
| | | Collisions | |
| | 1.1.16 | Clockwork universe | |
| 1.2 | Fields | | 58 |
| | 1.2.1 | Concept of a field | |
| | 1.2.2 | Conservative fields | |
| | 1.2.3 | Field lines and flux | |
| | 1.2.4 | | |
| | 1.2.5 | The circulation of a vector field | |
| | 1.2.6 | Circulating versus conservative field | |
| | 1.2.7 | The continuity equation | |
| 1.3 | Waves | | 65 |
| | 1.3.1 | Wave equation and wave functions | |
| | 1.3.2 | Superposition of waves | |
| | 1.3.3 | Fourier analysis | |
| | 1.3.4 | Other function-spaces | |
| | 1.3.5 | Confined waves | |
| 1.4 | Light: | Particles or waves? | 73 |
| | | Newton versus Huygens | |
| | 1.4.2 | Diffraction of light | |
| | | Composition of light | |
| | 1.4.4 | | |
| | 1.4.5 | More examples of the diffraction of light | |
| | 1.4.5 | X-ray diffraction | |
| 1.5 | Electri | ic and magnetic fields | 78 |
| | 1.5.1 | y y | |
| | 1.5.2 | | |
| | | Equilibrium of a free charge in an electrostatic field | |
| | | Characteristics of a static magnetic field | |
| | 1.5.5 | o v | |
| | 1.5.6 | Non-static magnetic fields: Faraday's law of induction | |
| | 1.5.7 | Non-static electric fields: Maxwell's displacement current | |
| 1.6 | _ | * · · · · · · · · · · · · · · · · · · · | 87 |
| | 1.6.1 | Cathode rays, channel rays, the Edison effect, and radio-active dec | ay |
| | 1.6.2 | Magnetic Lorentz force | |
| | 1.6.3 | Dynamic momentum of a charged particle in a magnetic field | |
| | 1.6.5 | Magnetic force on a current-carrying wire | |
| | 1.6.6 | Magnetic moment of an orbiting charged particle | |
| | 1.6.7 | The vacuum diode | |
| | 1.6.8 | Vacuum electronics | |

| Electr | romagnetic waves | 95 |
|--------|---|-----|
| 1.7.1 | Time-dependent charge and current densities | |
| 1.7.2 | Energy of electro-magnetic fields and waves | |
| 1.7.3 | Light and the electromagnetic spectrum | |
| 1.7.4 | Diffraction of vector waves | |
| Einste | ein's Theory of Relativity | 99 |
| 1.8.1 | The speed of light | |
| 1.8.2 | Einstein' postulates | |
| 1.8.3 | The Lorentz transformation | |
| 1.8.4 | Momentum and kinetic energy at high speeds | |
| 1.8.5 | Physics in four-dimensional tensor format | |
| 1.8.6 | Space-time diagrams | |
| 1.8.7 | Does Einstein's theory imply that everything is relative? | |
| 1.8.8 | Einstein's General Theory of Relativity | |
| 1.8.9 | Cosmology | |
| The e | nigmatic electron | 111 |
| 1.9.1 | Electrostatic field-energy of a single, stationary electron | |
| 1.9.2 | Electromagnetic momentum and mass of an electron | |
| 1.9.3 | "Heavy" electrons | |
| Turni | ng on the heat! | 113 |
| 1.10.1 | | |
| 1.10.2 | ** | |
| 1.10.3 | • • | |
| 1.10.4 | • | |
| 1.10.5 | | |
| 1.10.6 | | |
| 1.10.7 | | |
| 1.10.8 | Maxwell's distribution | |
| 1.10.9 | Boltzmann's thermodynamic probability function | |
| 1.10.1 | 0 Thermodynamic probability and entropy | |
| 1.10.1 | 1 Boltzmann's equilibrium distribution | |
| 1.10.1 | 2 Fluctuations and heat transfer | |
| 1.10.1 | 3 Disappointment and depression | |
| 1.10.1 | 4 Brownian motion and Einstein | |
| The u | ltra-violet catastrophe | 125 |
| 1.11.1 | Spectra from light emitting bodies | |
| 1.11.2 | Blackbody radiation | |
| 1.11.3 | The modes of vibration | |
| 1.11.4 | The Rayleigh-Jeans formula | |
| 1.11.5 | Planck enters | |
| 1.11.6 | Radiation from the walls | |
| Light | corpuscles strike back and electrons "shudder" | 132 |
| 1.12.1 | | |
| 1.12.2 | · · | |
| 1.12.3 | | |
| 1.12.4 | Stirring waves into a gas | |

| 1.12.5 | Nature is two-faced | |
|---------|--|-----|
| The cen | tre of the atom | 136 |
| 1.13.1 | To be or not to be | |
| 1.13.2 | Plum-puddings have kernels | |
| 1.13.3 | Probing and modifying matter with ions | |
| Let the | re be stable electron orbits! | 138 |
| 1.14.1 | Quantising the electron-orbit around the nucleus | |
| 1.14.2 | De Broglie's hypothesis and orbit stability | |
| Quantu | m mechanics of a single particle | 141 |
| 1.15.1 | The nettle is grabbed | |
| 1.15.2 | Schrödinger's wave equation | |
| 1.15.3 | | |
| 1.15.4 | Quantum-mechanical operators | |
| | What is really waving? | |
| | Max Born throws dice | |
| 1.15.7 | Superposed waves in free space | |
| | Consecutive measurements | |
| | Operators and wave functions | |
| | Heisenberg becomes uncertain | |
| | Stationary energy states | |
| | Energy of an electron in an adiabatic box | |
| | Energy of an electron in an isothermal box | |
| | Bound electrons | |
| 1.15.15 | Energy-time uncertainty | |
| | Tunnelling | |
| 1.15.17 | Spin of an electron | |
| 1.15.18 | Correspondence principle | |
| 1.15.19 | Diffraction of a particle | |
| | m mechanics of many particles | 171 |
| | Configuration space | |
| | Wave function for identical particles | |
| | Exchanging identical particles | |
| | Pauli's exclusion principle | |
| | The periodic table of the elements | |
| | Bose-Einstein statistics | |
| 1.16.7 | Fermi-Dirac statistics | |
| Exchan | ge force interactions | 180 |
| 1.17.1 | Two electrons in a conservative force-field | |
| 1.17.2 | The "unperturbed" solution | |
| 1.17.3 | Bi-electron spin wave functions | |
| 1.17.4 | The exchange force | |
| 1.17.5 | The Helium atom | |
| 1.17.6 | The covalent bond | |
| | al bonding | 186 |
| 1.18.1 | Interactions and bonding between atoms | |
| 1.18.2 | The amazing carbon atom | |
| | - | |

| 1.19 | Quanti | um reality | 191 |
|-------|-----------|---|-----|
| | 1.19.1 | Copenhagen interpretation | |
| | 1.19.2 | Einstein becomes entangled | |
| | 1.19.3 | Schrödinger's cat | |
| 1.20 | Quanti | um relativity | 194 |
| | 1.20.1 | Schrödinger equation and special relativity | |
| | 1.20.2 | Klein-Gordon equation | |
| | 1.20.3 | Dirac equation | |
| | 1.20.4 | Dirac's equation for a charged particle | |
| | | in an electromagnetic field | |
| | 1.20.5 | Quantum electrodynamics | |
| 1.21 | Forces | and particles (present time) | 201 |
| | 1.21.1 | Forces of nature | |
| | 1.21.2 | Yukawa and mesons | |
| | 1.21.3 | Quantum field theory | |
| | | Theory of everything | |
| | Refere | | 203 |
| | | | |
| Chap | oter 2 | | 205 |
| | | | |
| Solid | materials | s: metals, insulators, semiconductors and superconductors | |
| 2.1 | Consti | tuents of a solid material | 205 |
| | 2.1.1 | | |
| | 2.1.2 | Perfect crystalline structures | |
| | 2.1.3 | The adiabatic approximation | |
| 2.2 | Atomio | c vibrations and phonons | 208 |
| | 2.2.1 | Modelling atomic vibrations | |
| | 2.2.2 | Debye's generalised description of the vibrational energy | |
| | 2.2.3 | Phonons | |
| | 2.2.4 | Localised phonons | |
| 2.3 | Energy | states of valence electrons | 212 |
| | 2.3.1 | Approaching the problem | |
| | 2.3.2 | An ideal metal | |
| | 2.3.3 | Behaviour of electrons in an ideal metal | |
| | 2.3.4 | Periodic boundary conditions | |
| | 2.3.5 | Charge carriers and the Fermi-surface | |
| | 2.3.6 | Bloch functions | |
| | 2.3.7 | A perfect insulator | |
| | 2.3.8 | Behaviour of electrons in a perfect insulator | |
| | 2.3.9 | Onset of delocalisation | |
| 2.4 | Extrin | sic semiconductors | 239 |
| | 2.4.1 | Doping | |
| | 2.4.2 | Position of Fermi level | |
| | 2.4.3 | Process rates: activation energies | |
| | 2.4.4 | Wide bandgap semiconductors | |
| | | | |

| | 2.4.5 | Intra-band conduction | |
|---------|------------|---|-----|
| | 2.4.6 | Impurity band formation | |
| 2.5 | Interfa | ces | 248 |
| | 2.5.1 | The importance of interfaces | |
| | 2.5.2 | Two dissimilar metals | |
| | 2.5.3 | The p-n-junction | |
| | 2.5.4 | Schottky metal junction to n-type material | |
| | 2.5.5 | Ohmic contacts | |
| | 2.5.6 | Fermi-level pinning | |
| 2.6 | Electro | ons in non-perfect materials | 256 |
| | 2.6.1 | "Non-crystalline" materials | |
| | 2.6.2 | Localisation of electron-energy states | |
| | 2.6.3 | Anderson transition and impurity band formation | |
| | 2.6.4 | Conductivity crisis | |
| 2.7 | Superc | onductors | 259 |
| | 2.7.1 | Discovery of superconduction | |
| | 2.7.2 | Electric and magnetic properties | |
| | 2.7.3 | The two pillars of BCS theory | |
| | 2.7.4 | Cooper pairs | |
| | 2.7.5 | The coherent macro-wave-function | |
| | 2.7.6 | Explaining the Meissner-Ochsenfeld effect | |
| | 2.7.7 | Josephson junctions | |
| | 2.7.8 | Mechanisms for high temperature superconductors | |
| | 2.7.9 | YBCO: A typical high-T _c superconductor | |
| | 2.7.10 | Challenge to the existing theories on superconduction | |
| | Referen | | 275 |
| Char | stor 2 | | 277 |
| Chap | oter 3 | | 211 |
| Diamo | ond electi | ronics: | |
| cold o | athodes a | and superconduction at room temperature | |
| 3.1 | Diamo | nd as a semiconducting material | 277 |
| | 3.1.1 | Types of diamond | |
| | 3.1.2 | | |
| | 3.1.3 | Ion implantation into diamond | |
| | 3.1.4 | Vacloids | |
| | 3.1.5 | Generating n-type diamond | |
| 3.2 | | e conduction | 283 |
| | 3.2.1 | Hydrogen and surface conduction | 200 |
| | 3.2.2 | A mechanism for surface conduction | |
| | 3.2.3 | Ubiquitous water? | |
| 3.3 | | on emission | 284 |
| 5.5 | 3.3.1 | p-Type diamond and negative electron affinity | 207 |
| | 3.3.2 | n-Type diamond and cold cathodes | |
| | 3.3.3 | Surface hydrogen and negative electron affinity | |
| | 0.0.0 | Surjust injurity of the area in facility of the control application | |

| 3.3.4 | Fermi-level pinning and negative electron affinity | |
|--|--|---|
| 3.3.5 | n-Type diamond and negative electron affinity | |
| 3.3.6 | Extracting electrons from an n-type NEA substrate | |
| 3.3.7 | Electron tunnelling from an n-type NEA substrate | |
| Supero | conduction at room temperature! | 296 |
| 3.4.1 | Generating donors just below the surface | |
| 3.4.2 | The apparatus | |
| 3.4.3 | The experiment: electron extraction | |
| 3.4.4 | The conclusion: a new electron-phase! | |
| | · | |
| 3.4.6 | 1 | |
| 3.4.7 | The mechanism | |
| 3.4.8 | Answers to commonly asked questions | |
| | | 313 |
| | | 315 |
| | | |
| | To the second se | |
| diamor | ad layers" by Z. Teukam et al. | |
| oter 4 | | 325 |
| gle electr | on on the surface of an n-type substrate | |
| Emissi | on of a single electron | 325 |
| 4.1.1 | | |
| | Conditions required for emission | |
| 4.1.2 | - · · · | |
| 4.1.2 | The role of the image force | 328 |
| 4.1.2 | The role of the image force ation of an "external" single-electron wave function | 328 |
| 4.1.2 Calcul | The role of the image force ation of an "external" single-electron wave function The symmetry involved | 328 |
| 4.1.2 Calcul 4.2.1 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions | 328 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) | 328 341 |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 4.3.3 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion External wave formation | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 4.3.3 4.3.4 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion External wave formation Sub-surface wave-tails Vibration of the donor-related charge Deriving the depth s of a donor charge | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 4.3.3 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion External wave formation Sub-surface wave-tails Vibration of the donor-related charge | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 4.3.3 4.3.4 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion External wave formation Sub-surface wave-tails Vibration of the donor-related charge Deriving the depth s of a donor charge | |
| 4.1.2 Calcul 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6 4.2.7 4.2.8 Discus 4.3.1 4.3.2 4.3.3 4.3.4 4.3.5 | The role of the image force ation of an "external" single-electron wave function The symmetry involved Perpendicular solutions when z≥0 Perpendicular solutions when z<0 Most probable position of an external electron Uncertainty along the z-direction Lateral solutions Combining perpendicular and lateral solutions The donor emission coefficient (DEC) sion External wave formation Sub-surface wave-tails Vibration of the donor-related charge Deriving the depth s of a donor charge Bound states, DEC and substrate temperature | |
| | 3.3.6 3.3.7 Supero 3.4.1 3.4.2 3.4.3 3.4.4 3.4.5 3.4.6 3.4.7 3.4.8 Refere Appen Commo conduc diamor | 3.3.6 Extracting electrons from an n-type NEA substrate 3.3.7 Electron tunnelling from an n-type NEA substrate Superconduction at room temperature! 3.4.1 Generating donors just below the surface 3.4.2 The apparatus 3.4.3 The experiment: electron extraction 3.4.4 The conclusion: a new electron-phase! 3.4.5 Why? Why? 3.4.6 It has to be superconduction at room temperature! 3.4.7 The mechanism 3.4.8 Answers to commonly asked questions References Appendix Comments on "Shallow donors with high n-type electrical conductivity in homoepitaxial deuterated boron-doped diamond layers" by Z. Teukam et al. |

| Cha | oter 5 | | 349 |
|------------------|----------------|---|-----|
| Exter | nal "pair- | orbital" formation | |
| 5.1 | Emissi | on of two electrons from a single donor | 349 |
| | 5.1.1 | Donor emission coefficient | |
| | 5.1.2 | Potential energy of the electrons | |
| | 5.1.3 | Perpendicular solutions | |
| | | (<i>a</i>) When z ≥0: | |
| | | <i>(b) When</i> z ≤ 0 : | |
| | | (c) Distances between the double-donor charge | |
| | | and unperturbed electrons: | |
| | 5.1.4 | The lateral solutions | |
| | 5.1.5 | The complete unperturbed single-electron wave functions | |
| | 5.1.6 | The unperturbed bi-electron wave functions | |
| | 5.1.7 | Adding the perturbation | |
| 5.2 | | apping waves and the Coulomb force | 363 |
| | 5.2.1 | Coulomb interaction between the electrons | |
| | 5.2.2 | Interaction in the lateral direction | |
| <i>5</i> 2 | 5.2.3 | Interaction in the perpendicular direction | 260 |
| 5.3 | 5.3.1 | ons with parallel spins | 368 |
| | 5.3.1 5.3.2 | Potential energies of the two electrons Bi-electron wave function | |
| | 5.3.2 5.3.3 | Excited energy levels | |
| | 5.3.4 | Excited state with quantum numbers n(0), n(0)+1 and h=0 | |
| | 5.3.5 | Estimating the magnitude of the overlap parameter β | |
| 5.4 | | ons with opposite spins | 375 |
| J. T | 5.4.1 | "Movement" of the electrons to a joint, average position | 313 |
| | 5.4.2 | Excited bi-electron-orbital, with quantum numbers | |
| | 5.1.2 | n(0), n(0)+1 <i>and</i> h=0 | |
| | 5.4.3 | "Screening" of the positive charge | |
| 5.5 | Discus | | 377 |
| | 5.5.1 | Comparison to single-electron orbital formation | |
| | 5.5.2 | Comparison of the nearest excited states to the ground state | |
| | 5.5.3 | Bound states, DEC and substrate temperature | |
| | 5.5.4 | Two singly ionised donors at the same lateral position | |
| | 5.5.6 | Single-electron orbital above a dipole terminated surface | |
| | 5.5.7 | Migration of a bi-electron orbital on its seminal surface | |
| | 5.5.8 | A dipotom with more than two electrons | |
| 5.6 | Conclu | asion | 386 |
| Cha _l | oter 6 | | 387 |
| Dono | or emitter | with more than two ionisation levels | |
| 6.1 | Emissi | on of M>2 electrons from a single donor | 387 |

| | 6.1.1 | Potential energy of the emitted electrons | |
|-------|----------|---|-----|
| | 6.1.2 | Unperturbed solutions of the Schrödinger equation | 200 |
| 6.2. | | d state electron occupation of energy levels | 390 |
| | 6.2.1 | Pauli exclusion-principle and unperturbed electron energies | |
| | 6.2.2 | Interaction between electrons with different quantum numbers n(0) and n(0)+1 | |
| | 6.2.3 | The ground state energies of the external electron orbitals | |
| | 6.2.4 | The perpendicular and lateral geometric parameters | |
| 6.3 | Discus | sion and conclusion | 398 |
| Cha | pter 7 | | 401 |
| Orbit | al forma | tion between two surfaces | |
| 7.1 | Two pa | arallel surfaces with an electron-orbital on one of them | 401 |
| | 7.1.1 | Single-electron orbitals and pair-orbitals | |
| | 7.1.2 | Second, parallel surface approaching a single external orbital | |
| | 7.1.3 | Criteria for the existence of a ground state orbital between | |
| | | two parallel surfaces | |
| 7.2 | | ydro-dipotoms on opposite parallel surfaces | 403 |
| | 7.2.1 | The orbitals at a large distance from each other | |
| | 7.2.2 | The single-electron "basis" wave functions | |
| | 7.2.3 | Coordinates and potential energy of the basis wave functions | |
| | | (a) Coordinates: | |
| | | (b) Potential energy: | 40= |
| 7.3 | | on-electron interaction | 407 |
| | 7.3.1 | Electrons with opposite spins | |
| | | (a) The averaged forces between the electrons | |
| | | (b) The situation when $\langle d_2 \rangle \neq \langle d_1 \rangle$ and $D_s > \langle d_1' \rangle + \langle d_2' \rangle$ | |
| | | (c) The situation when $\langle d_2 \rangle = \langle d_1 \rangle = \langle d \rangle$ and $D_S > 2 \langle d \rangle$ | |
| | | (d) The effective charges $\Omega_{\rm P}(1)$, $\Omega_{\rm P}(2)$, $\Omega_{\rm L}(1)$ and $\Omega_{\rm L}(2)$, where $\Omega_{\rm P}(1)$ is the second of the se | en |
| | | $D_{\rm S} > \langle d'_1 \rangle + \langle d'_2 \rangle$ | |
| | | (e) The effective charges Ω_{P} and Ω_{L} when $D_{S}<2\langle d' \rangle$ | |
| | | (f) Energies of the bi-electron orbitals | |
| | | (g) Calculating the appropriate distances D _s (h) Geometric restrictions owing to positive charge depths | |
| | | below the surface | |
| 7.3.2 | Electro | ons with parallel spins | |
| | | (a) Coordinates and potential energy | |
| | | (b) The effective charges as a function of the inter-charge distance D _s | |
| 7.4 | Discus | | 415 |
| | 7.4.1 | Summary | |
| | 7.4.2 | Calculated characteristics of hydro-dipomols | |
| | 7.4.3 | Non-normal dipomols | |
| | 7.4.4 | Comparison between a hydrogen molecule and a hydro-dipomo | l |
| | | | |

| Cha | Chapter 8 | | |
|-------|-----------|---|----------|
| Orbit | al arrays | | |
| 8.1 | Intera | ction between adjacent orbitals | 421 |
| | 8.1.1 | Two orbitals | |
| | 8.1.2 | Orbital arrays | |
| 8.2 | A peri | odic array of identical orbitals on a single surface | 422 |
| | 8.2.1 | Coulomb-force interaction between orbitals | |
| | 8.2.2 | Potential energy of an electron that forms part of a periodic orbital array | |
| | | (a) The surrounding positive charges and negatively-charged (b) Contribution of the sub-surface positive charges (c) Contribution of the surrounding orbitals | orbitals |
| | 8.2.3 | Solving the Schrödinger equation for one of the electrons | |
| | 0.2.3 | (a) The perpendicular solution | |
| | | (b) The lateral solution | |
| | 8.2.4 | Geometric considerations and restrictions | |
| | 0.2.7 | (a) Depth of the positive charges | |
| | | (b) Lateral dimensions of the orbitals | |
| | 8.2.5 | Calculated results | |
| | 8.2.6 | Alternative arrangements of separate orbitals on a single surface | |
| 8.3 | | odic array of identical hydro-dipomols | 435 |
| 0.5 | 8.3.1 | Symmetry and electron-electron interaction | 433 |
| | 8.3.2 | Unperturbed single-electron potential energies | |
| | 0.5.2 | (a) Contribution of the sub-surface positive charges | |
| | | (b) Contribution by the surrounding orbitals | |
| | | (c) Unperturbed, effective charge along the perpendicular directi | on |
| | 8.3.3 | Perturbed single-electron potential energies | On |
| | 0.5.5 | (a) Effective charge along the perpendicular direction | |
| | | (b) Effective charge along the lateral direction | |
| | 8.3.4 | Geometric considerations and restrictions | |
| | 8.3.5 | Calculated results | |
| 8.4 | | apping of adjacent pair-orbitals | 444 |
| ••• | 8.4.1 | Pauli exclusion-principle and Heisenberg Uncertainty Relationship | |
| | 8.4.2 | β-parameter: Overlapping of single-boson Gaussian-shaped orbitals | |
| | 8.4.3 | Mott vindicated! | |
| | 8.4.4 | "Multi-particle" waves | |
| 8.5 | | fect of substrate temperature | 451 |
| | 8.5.1 | The donor emission coefficient and temperature | |
| | 8.5.2 | External electron orbitals on a single surface | |
| | 8.5.3 | External electron orbitals between two surfaces | |
| 8.6. | | al discussion | 455 |
| | | | |

| Chapt | apter 9 45 | | |
|-------------|------------|---|------|
| Charge | transpo | ort and superconduction | |
| 9.1 | Sub-sui | rface hole-conduction | 457 |
| 7.11 | 9.1.1 | Lateral polarisation of a solitary orbital on an insulating surface | 107 |
| | 9.1.2 | Migration of a solitary orbital when applying an electric field | |
| | 9.1.3 | | d |
| | 9.1.4 | Surface conduction of hydrogenated diamond revisited | |
| 9.2 | | ric breakdown of an orbital-array | 465 |
| - v- | 9.2.1 | Applying a lateral electric field | -00 |
| | 9.2.2 | Lateral polarisation | |
| | 9.2.3 | An array of polarised orbitals on a single surface | |
| | 7.2.0 | (a) Potential energy and ground-state energy of an electron | |
| | | (b) Polarisation distance as a function of the applied field | |
| | | (c) Polarisation and distance ratios: | |
| | | (d) Reduced electric field | |
| | | (e) Breakdown field | |
| | 9.2.4 | An array of hydro-dipomols | |
| | 7.2.1 | (a) Potential energy and ground-state energy of an electron | |
| | | (b) Polarisation and distance ratios | |
| | | (c) Calculating the breakdown field | |
| 9.3 | Superce | onducting orbital arrays | 479 |
| ,,, | 9.3.1 | Injecting electrons into an orbital array | •,,, |
| | 9.3.2 | Velocity of the charge-carriers | |
| | 9.3.3 | Uncertainty and binding energy | |
| | 9.3.4 | The maximum transfer speed | |
| | 9.3.5 | Maximum current density | |
| | 9.3.6 | Orbital-density and the onset of superconduction | |
| | 9.3.7 | Critical temperature | |
| | 9.3.8 | Contacts to a superconducting layer of orbitals | |
| | 9.3.9 | Current flow by induction | |
| | 9.3.10 | Meissner-Ochsenfeld effect | |
| | 9.3.11 | Magnetic and electric strengths of a superconducting layer | |
| | 9.3.12 | Phase relationship between localised superconducting orbitals | |
| 9.4 | Superce | onducting macro-waves | 490 |
| | 9.4.1 | Faster than light! | |
| | 9.4.2 | DNA and non-local signal transfer | |
| | 9.4.3 | Macro-waves and Bose-Einstein condensates | |
| 9.5 | | mental data revisited | 495 |
| | 9.5.1 | Superconduction in the copper-oxide ceramics | |
| | 9.5.2 | Diamond-anode superconduction | |
| | 9.5.3 | Interlude: Conductivity crises | |
| 9.6 | | onduction within the bulk of a material | 501 |
| | 9.6.1 | An inside job | |
| | 9.6.2 | "Low-temperature" superconduction | |

| | 9.6.3 | Coherent tunnelling within extrinsic semiconductors | |
|--------|----------|---|-----|
| 9.7 | Imperfe | ect superconduction | 508 |
| | 9.7.1 | "Pure" superconduction | |
| | 9.7.2 | "Two-fluid" superconduction | |
| | 9.7.3 | Percolation | |
| | 9.7.4 | Orbitals with different energies | |
| 9.8 | Room to | emperature superconduction | 509 |
| | Referen | nces | 511 |
| | | | |
| Chapt | er 10 | | 515 |
| | | | |
| Consec | uences a | and speculation | |
| 10.1 | Waving | the rules | 515 |
| 10.2 | | ry "free" electron | 517 |
| 10.2.1 | | ssical electron (revisited) | |
| | | Locating a solitary electron | |
| | | Virtual charge interaction | |
| | | Solution of the Schrödinger equation | |
| | | The "radius" of a solitary electron | |
| | | Mass of an electron | |
| | | Electric field "around" a solitary electron | |
| | | Inertial mass and "electron radius" | |
| | 10.2.9 | (Possible) origin of the virtual charge | |
| | | Acceleration of an electron in an electric field | |
| | | (Possible) origin of electron spin | |
| | 10.2.12 | (Possible) excited states | |
| | 10.2.13 | Time "within an electron" | |
| 10.3 | Wave in | nteractions | 535 |
| | 10.3.1 | An accelerating electron revisited | |
| | 10.3.2 | Entanglement and enmeshment | |
| 10.4 | | article waves | 538 |
| | | Valence electrons in a solid material | |
| | | Bonds and bands | |
| | | Decomposing waves | |
| | | Temperature and enmeshed waves | |
| | | Electromagnetic radiation | |
| | | Quantizing electromagnetic fields | |
| | 10.4.7 | Nuclear forces | |
| | 10.4.8 | Relativity and time coordinates | |
| | 10.4.9 | Entangled chemical bonding? | |
| 10.5 | _ | m reality revisited | 545 |
| | 10.5.1 | Measurement and interaction | |
| | 10.5.2 | Jumping electrons | |
| | 10.5.3 | The "mystery" of double-slit diffraction | |
| | 10.5.4 | De Broglie's wavelength | |

| | | Schrödinger's cat is alive and well! | |
|-------------------|--------------------------|--------------------------------------|------------|
| 10.6 | | EPR experiments | 550 |
| 10.6 | Fabric of "our universe" | | 550 |
| | 10.6.1 | Bending space: Let there be light! | |
| | 10.6.2 | The Yin and the Yang | |
| | 10.6.3 | Entropy of "our universe" | |
| | 10.6.4 | Cosmic background radiation | |
| | 10.6.5 | Dark matter | |
| 10.7 | Conclusion | | 558 |
| | References | | 558 |
| INDEX EPILOGUE | | | 561 577 |
| LI ILO | GGL | | 511 |